

KS5 Curriculum Map – Physics:

Topic	Knowledge	Skills	Assessment
	Substantive knowledge: This is the specific, factual	<i>Disciplinary knowledge</i> : This is the action taken	Opportunities
	content for the topic, which should be connected	within a particular topic in order to gain	What assessments will be used to
	into a careful sequence of learning.	substantive knowledge.	measure student progress?
6.4 Nuclear & Particle Physics	 List the components of an atom Describe what happens when an unstable nucleus emits an alpha particle or a beta minus particle Recall what is meant by a photon. Calculate the energy of a photon. Define antimatter. Describe what happens when a particle and its antiparticle meet. Describe what is meant by an interaction. Name different types of interaction. State whether we can predict new particles. Describe strange particles. Recognise hadrons. Distinguish between different types of neutrinos. Define strange particles. Define quarks and explain how we know they exist State the conservation rules for particle interactions. 	 Explain why some nuclei are stable and others unstable. Estimate how many photons a light source emits every second. Discuss whether anti-atoms are possible. Explain what makes charged particles attract or repel each other. Construct or complete Simple diagrams to represent the above reactions or interactions in terms of incoming and outgoing particles and exchange particles. Explain how we can find new particles. Identify different classifications of particles. Consider whether leptons are elementary. Evaluate the importance of lepton numbers. Explain why it could be said that there are no antimesons. Explain what is never conserved. Explain what is never conserved. Explain what is never conserved under the impossible interactions. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

4.5 Quantum Physics	 Define a photon. Discuss how the photon model was established. Define a quantum. Photoelectric equation: h f = φ + EKmax. Explain what is meant by ionisation of an atom. Explain what is meant by excitation of an atom. Explain what energy levels are. Explain what happens when atoms deexcite. Define a line spectrum. h f = E1 - E2 Explain why we say photons have a dual nature. Describe how we know that matter particles have a dual nature.	 Explain the photoelectric effect. Explain why Einstein's photon model was revolutionary. Explain why an electron can't absorb several photons to escape from a metal. <i>E</i>Kmax is the maximum kinetic energy of the photoelectrons. Use the photoelectric experiment graph to determine and threshold frequency. Explain how a fluorescent tube works. Explain why atoms emit characteristic line spectra Calculate the wavelength of light for a given electron transition. Discuss why we can change the wavelength of a matter particle but not that of a photon. Use the De Broglie equation to determine momentum of photons and velocity of electron waves. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
4.4 Waves	 Explain the differences between transverse and longitudinal waves. Define a plane-polarised wave. Explain what is meant by the amplitude of a wave. Explain what is meant by the wavelength of a wave. Calculate the frequency of a wave from its period. Explain what we mean by diffraction. Describe the necessary condition for the formation of a stationary wave. Explain why nodes are formed in fixed positions. Describe the simplest possible stationary wave pattern that can be formed. Compare the frequencies of higher harmonics with the first harmonic frequency. 	 Describe a physics test that can distinguish transverse waves from longitudinal waves. Explain what causes waves to refract when they pass across a boundary. Demonstrate the direction light waves bend when they travel out of glass and into air Explain what we mean by diffraction. Deduce whether a stationary wave is formed by superposition. Explain what condition must be satisfied at both ends of the string. Describe how an oscilloscope can be used. Interpret waveforms on an oscilloscope to give peak voltage and wavelength. '4.7 Practical: Speed of sound' Comment on whether refraction is different for a light ray travelling from a transparent 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L}$$

$$c = f\lambda \text{ and } f = \frac{1}{2L} \int_{-L_{\mu}}^{L} f = \frac{1}{2L} \int_{-L_{\mu}^{L} f = \frac{1}{2L} \int_{-L_{\mu}^{L} f = \frac{1}{2L} \int_{-L_{\mu}^{L} f$$

4.1 & 4.2 Electric Charge & Current, Electric al Energy Power & Resistance.	• Electric current as the rate of flow of charge; potential difference as work done per unit charge. $\frac{\Delta Q}{I = \Delta t}$ • Energy and power equations: $E = I V t$ $P = I V$ $\frac{W}{V = Q}$ • Resistance defined as $\frac{V}{R = I}$ • Ohm's law as a special case where $I \propto V$ under constant physical conditions 3.5.1.3 • Resistivity, $\rho = \frac{RA}{I}$. • Superconductivity • Applications of superconductors • Current–voltage characteristics for an ohmic conductor, semiconductor diode, and filament lamp. • Energy and power equations: • $P = I^2 R = \frac{V^2}{R}$.	 Calculate the charge flow in a circuit. Calculate electrical power. Explain how energy transfers take place in electrical devices Describe what causes electrical resistance. Discuss when Ohm's law can be used. Explain what a superconductor is Make calculations relating power current pd time resistance and energy. 12 Support: Electricity 12.3 Practical: Investigating resistivity 12.4 Practical: Characteristics of lightermitting diodes 12.4 Practical: Investigating the characteristics of a thermistor 13 Revision podcast: Electric current 13.4 Practical: Conservation of energy in a circuit Describe how we use the rules in circuits. Calculate the current and pds for each component in a circuit. 13.2 Practical: Investigating resistors 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
---	--	--	---

4.3 Electrical Circuits	 State the rules for series and parallel circuits. and the principles behind these rules. Calculate resistances in series and in parallel. Define resistance heating. The relationships between currents, voltages, and resistances in series and parallel circuits, including cells in series and identical cells in parallel. Conservation of charge and conservation of energy in dc circuits ε = ^E/_Q, ε = l(R+r). Terminal pd; emf. 	 13 Support: Direct current circuits Explain why the pd of a battery (or cell) in use is less than its emf. Measure the internal resistance of a battery. Describe how much power is wasted in a battery. 13.3 Practical: Internal resistance and electromotive force 13.3 Calculation sheet: Emf and pd 13 Support: Cells, electromotive force, and internal resistance 13.4 Practical: Investigating cell combinations Calculate currents in circuits with: resistors in series and parallel more than one cell diodes in the circuit. Describe a potential divider. Explain how we can supply a variable pd from a battery Explain how we can design sensor circuits. 13 Stretch and challenge teacher sheet: Direct current circuits 13.5 Practical: Application of potential dividers and sensor circuits 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
2.1 Nature of Quantities	 Define a vector quantity. Describe how we represent vectors. Demonstrate when two (or more) forces have no overall effect on a point object. Explain the parallelogram of forces. Resolution of vectors into two components at right angles to each other. Examples 	 Explain how we add and resolve vectors Explain why we have to consider the direction in which a force acts. Explain how the turning effect of a given force can be increased. Assess when a tilted object will topple over. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

3.2 Forces in Action	 include components of forces along and perpendicular to an inclined plane. Describe the conditions under which a force produces a turning effect. Explain what is required to balance a force that produces a turning effect. Explain why the centre of mass is an important idea. Describe the support force on a pivoted body. When a body in equilibrium is supported at two places, state how much force is exerted on each support. Explain what is meant by a couple. Explain the difference between stable and unstable equilibrium Explain what condition must apply to the forces on an object in equilibrium. Explain what condition must apply to the turning effects of the forces. State the important principles that always apply to a body in equilibrium. 	 Explain why a vehicle is more stable when its centre of mass is lower Numerous calculations and problems are used here to develop and assess students' technique and understanding. Describe how we can apply these conditions to deduce the forces acting on a body in equilibrium, create equations describing the relationships between the forces acting on static bodies and solve these for unknown forces and distances where needed. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
-------------------------	--	--	---

3.1 Motion	 Displacement, speed, velocity, acceleration. Explain why uniform acceleration is a special case. Explain why acceleration is considered a vector v = -S	 Explain what else we need to know to calculate the acceleration of an object if we know its displacement in a given time. Discuss if objects of different masses or sizes all fall with the same acceleration. Calculate the motion of an object with constant acceleration if its velocity reverses. Deduce whether the overall motion should be broken down into stages. Application of the Suvat equations to a large number of typical situations. Numerous calculations and problems are used here to develop and assess students' technique and understanding. Practical to determine g by measuring the motion of a free-falling object. Describe what would happen to the motion of a projectile if we could switch gravity off. Explain the path of a projectile. With no drag Describe how projectile motion is affected backwards by the air it passes through. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
------------	---	---	---

3.5 Newton's laws of Motion & Momentum	 Describe what effect a resultant force produces. Describe what would happen to a body that was already in motion if there was no resultant force acting on it. Apply <i>F</i> = <i>m a</i> when the forces on an object are in opposite directions. Describe any situations in which <i>F</i> = <i>m a</i> cannot be applied. Explain what we mean by a drag force. Explain what determines the terminal speed of a falling object or a vehicle. Distinguish between braking distance and stopping distance. Describe how road conditions affect these distances. Explain what should be increased to give a smaller deceleration from a given speed. State which design features attempt to achieve this in a modern vehicle. <i>momentum</i> = mass × velocity. Force as the rate of change of momentum, <i>F</i> = \(\beta(m v)), \(\beta t = \beta(m v)), \(\beta t = \beta(m v)), \(\beta t = \beta(m v)), \(\beta(t = \beta(m v)), \(\beta(t = \beta(t = \beta(m v)), \(\beta(t = \beta(t = \	 Explain how weight is different from mass Explain why you experience less support as an ascending lift stops. Explain why the speed of an object moving through a viscous fluid reaches a maximum when a driving force is still acting. Describe what happens to the momentum of a ball when it bounces off a wall. Principle applied quantitatively to problems in one dimension. Elastic and inelastic collisions; explosions. Appreciation of momentum conservation issues in the context of ethical transport design. 9.3 Practical: Testing conservation of momentum' Analysis of force-time graphs. Describe the energy changes that take place in an explosion. Use conservation of momentum in calculations about collisions and explosions 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
---	---	---	---

 Describe what is conserved in a perfectly elastic collision. Discuss whether any real collisions are ever perfectly elastic. State what can always be said about the total momentum of a system that has exploded. Describe the consequences when, after the explosion, only two bodies move apart 		
 Define energy and describe how we measure it. Define work (in the scientific sense). W = F s cos θ. Principle of conservation of energy. ΔEp = m g Δh and Ek = ½ m v^2 rate of doing work = rate of energy transfer, P = F v. Significance of the area under a force displacement graph. <i>efficiency</i> = useful output power output power Efficiency can be expressed as a percentage. 	 Discuss whether energy ever disappears Quantitative questions may be set on variable forces Quantitative and qualitative application of energy conservation to examples involving gravitational potential energy, kinetic energy, and work done against resistive forces. 10.2 Practical: Investigating the gravitational potential energy of a table tennis ball' Exercises to identify and calculate the power of energy transfers and the efficiency of machines and processes. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

3.4 Materials	 Density, ρ = m. V Hooke's law, elastic limit, F = k ΔL, k as stiffness and spring constant. Spring energy transformed to kinetic and gravitational potential energy. Tensile strain and tensile stress. Elastic strain energy, breaking stress, energy stored = T F ΔL = area under force 2 extension graph. Description of plastic behaviour, fracture, and brittle behaviour linked to force extension graphs. Quantitative and qualitative application of energy conservation to examples involving elastic strain energy and energy to deform. Appreciation of energy conservation issues in the context of ethical transport design. Young modulus = Ensile stress FL tensile strain AΔL Use of stress-strain graphs to find the Young modulus. (One simple method of measurement is 	 Measure the density of an object. Discuss whether there is any limit to the linear graph of force against extension for a spring. Define the spring constant and state its unit of measurement. If the extension of a spring is doubled, calculate how much more energy it stores. 11.2 Practical: Investigating springs Make calculations of the effective spring constant of a 'network' of linked springs. Interpretation of stress-strain curves 11.3 Practical: Determining the Young modulus' and 11.4 Practical: Deforming strawberry laces' 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
	 (One simple method of measurement is required.) 'both involves aspects of: 		

5.2 Circular motion	 Uniform Circular motion Magnitude of angular speed Radian measure of angle Motion in a circular path at constant speed implies there is an acceleration and requires a centripetal force Centripetal acceleration Centripetal force 	 Recognise uniform motion in a circle Describing what you need to measure to find the speed of an object moving in uniform circular motion Defining angular displacement and angular speed Explain why velocity is not constant when an object is travelling uniformly in a circle Determining the direction of the acceleration Calculating the centripetal force Describing scenarios where centripetal acceleration is experienced 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
5.3 Oscillations	 Analysis of characteristics of simple harmonic motion (SHM). Condition for SHM: a ∝ - x Defining equation: a = - ω2x Graphical representations linking the variations of x, v and a with time. Appreciation that the v - t graph is derived from the gradient of the x - t graph and that the a - t graph is derived from the gradient of the v - t graph Relevant formula Energy and simple harmonic motion Effects of damping on oscillations. Qualitative treatment of free and forced vibrations. Resonance and the effects of damping on the sharpness of resonance. 	 Describing the phase difference between two oscillators that are out of step. Stating the two fundamental conditions about acceleration that apply to simple harmonic motion Describing how displacement, velocity, and acceleration vary with time Calculating the velocity for a given displacement. Stating the circumstances in which resonance occurs Distinguishing between free vibrations and forced vibrations Explaining why a resonant system reaches a maximum amplitude of vibration 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

5.4 Gravitational fields	 Gravity as a universal attractive force acting between all matter. Magnitude of force between point masses: Newton's Formula Representation of a gravitational field by gravitational field lines. Escape velocity. Use of satellites in low orbits and geostationary orbits, to include plane and radius of geostationary orbit. Orbital period and speed related to radius of circular orbit; derivation of T2 ∝r3 Energy considerations for an orbiting satellite. Total energy of an orbiting satellite. 	 Describing how gravitational attraction varies with distance Explaining what is meant by an inverse-square law Discussing whether spherical objects, for example planets, can be treated as point masses Describing the shape of a graph of g against r for points outside the surface of a planet Comparing this graph with the graph of V against r Explaining the significance of the gradient of the V-r graph State the condition needed for a satellite to be in a stable orbit Describing what happens to the speed of a satellite if it moves closer to the Earth Discussing why a geostationary satellite must be in an orbit above the equator. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
6.2 Electric fields	 Representation of electric fields by electric field lines Electric field strength as force per unit charge with a knowledge of associated formulae Understanding of definition of absolute electric potential, including zero value at infinity, and of electric potential difference. Work done in moving charge Q given by Δ W = Q Δ Equipotential surfaces. No work done moving charge along an equipotential surface. Coulomb's law Similarities and differences between gravitational and electrostatic forces: 	 Describing what the direction of an electric field line shows concerning a test charge Illustrating the strength of an electric field by using field lines. Explaining why potential is defined in terms of the work done per unit + charge Calculating the electric potential difference between two points Describing how to find the change in electric potential energy from pd Explaining why potential (and pd) is measured in V. Calculations using Coulomb's formulae Stating the similarities and the principal differences between electric and gravitational fields 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

6.1 Capacitors	 Definition of capacitance Interpretation of the area under a graph of charge against pd Time constants including their determination from graphical data. Quantitative treatment of capacitor Dielectric action in a capacitor Relative permittivity and dielectric constant. 	 Relating the potential difference (pd) across the plates of a capacitor to the charge on its plate Discussing what capacitors are used for. Describing the form of energy that is stored by a capacitor Calculation of time constants including their determination from graphical data. Defining the time constant of a capacitor-resistor circuit. Defining relative permittivity and dielectric constant Describing the action of a simple polar molecule rotating in an electric field 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
6.3 Electromagnetism	 The factors that the magnitude of the force on a current-carrying wire depends on. What happens to charged particles in a magnetic field What happens to the direction of the magnetic force when electrons are deflected by a magnetic field? Why the moving charges move in a path that is circular The factors that affect the radius of the circular path. The laws of electromagnetic induction Principles of the alternating current generator Alternating current and power both numerical and qualitative analysis Elements and function of Transformers 	 Calculations for various scenarios for charges moving in electric and magnetic fields Describing what happens to the direction of the magnetic force when electrons are deflected by a magnetic field Explaining why the moving charges move in a path that is circular Stating the factors that affect the radius of the circular path Stating the factors that would cause the induced emf to be greater Calculations using Faraday's law Using Lenz's law to explain induction phenomena Explaining what is meant by the rms value of an alternating current Calculating the power supplied by an alternating current. the energy changes that take place in a transformer 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

		• Discussing how the efficiency of transformers is improved by better design.	
6.4 Contd. Nuclear & Particle Physics	 Rutherford's experiment Properties of alpha, beta & gamma Dangers of radioactive decay Radioactive decay Usages of Radioactive isotopes Nuclear decay modes Nuclear radii and how to determine them 	 Describing how the nucleus was discovered Describing the properties of alpha, beta, and gamma radiation and their comparable dangers Describing how the intensity of gamma radiation changes as it spreads out Explaining how to represent the change in a nucleus when it emits alpha, beta, or gamma radiation. Complete calculations using Nuclear Formulae Describing how to do radioactive dating and complete appropriate calculations Describe methods for ascertaining nuclear radii and completing calculations 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
6.4 Contd. Nuclear & Particle Physics	 Energy and mass Binding Energy Fission and Fusion Thermal nuclear reactors 	 Describing what happens to the mass of an object when it gains or loses energy Calculating the energy released in a nuclear reaction. Calculating how much energy is released in a fission or fusion reaction Explaining how nuclear reactor works Describing a thermal nuclear reactor Explaining how a nuclear reactor is controlled. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

5.1 Thermal Physics	 Internal energy is the sum of the randomly distributed kinetic energies and potential energies of the particles in a body and a varies with work done Concept of absolute zero of temperature. Specific Heat capacity and Specific latent Heat Gas laws as experimental relationships between p, V, T and the mass of the gas. Ideal gas equation its' derivation and application Molar mass and molecular mass Avogadro constant NA, molar gas constant R, Boltzmann constant k 	 Defining internal energy Stating the lowest temperature that is possible Complete calculations using appropriate thermal equations for latent heat and specific heat capacity. and stating the experimental gas laws Calculating the increase of the pressure of a gas when it is heated or compressed Calculating the work done in an isobaric process. Calculating the increase of the pressure of a gas when it is heated or compressed Derive the ideal gas equation Stating what is meant by an isothermal change. Calculating the work done in an isobaric process Use data to calculate the value of absolute 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment
5.5 Astrophysics & Cosmology	 Structure of The Universe Star Formation & Life Cycle Electromagnetic Radiation from Stars Wiens Law & Stefans Law Astronomical Distances The Doppler Effect & Red shift Microwave Background & Cosmological Principle The Evolution & Expansion of the Universe Dark Matter & Dark Energy 	 The terms planets, planetary satellites, comets, solar systems, galaxies and the universe Formation of a star from interstellar dust and gas in terms of gravitational collapse, fusion of hydrogen into helium, radiation and gas pressure Hertzsprung–Russell (HR) diagram as luminositytemperature plot; main sequence; red giants; super red giants; white dwarfs Use of Wien's displacement law and Stefan's law to estimate the radius of a star distances measured in astronomical unit (AU), light-year (ly) and parsec (pc) Doppler effect; Doppler shift of 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment

		 electromagnetic radiation Experimental evidence for the Big Bang theory from microwave background radiation at a temperature of 2.7 K Evolution of the universe after the Big Bang to the present. Current ideas; universe is made up of dark energy, dark matter, and a small percentage of ordinary matter 	
6.5 Medical Imaging	 X Rays Attenuation of X Rays Computerized Axial Tomography The Gamma Camera Positron Emission Tomography Ultrasound Acoustic Impedance The Doppler Effect 	 Basic structure of an X-ray tube Production of X-ray photons from an X-ray tube X-ray attenuation mechanisms; simple scatter, photoelectric effect, Compton effect and pair production Attenuation of X-rays; I I e x 0 = -n , where n is the attenuation (absorption) coefficient Computerized axial tomography (CAT) scanning; components – rotating X-tube producing a thin fan-shaped X-ray beam, ring of detectors, computer software and display Advantages of a CAT scan over an X-ray image. Gamma camera; components – collimator, scintillator, photomultiplier tubes, computer and display; formation of image Positron emission tomography (PET) scanner; annihilation of positron–electron pairs; formation of image Piezoelectric effect; ultrasound transducer as a device that emits and receives ultrasound. Ultrasound A-scan and B-scan. Acoustic impedance of a medium. reflection of ultrasound at a boundary. 	 Zig Zag Worksheet Completion Text H/W Questions Physics Work Book Questions Chapter Module Tests PAG Assessment